



# kramer

## C-HM/HM/PICO

Ultra-Slim Flexible High-Speed HDMI Cable with Ethernet

| 4K/60 UHD (4:4:4) | 4K HDR



Kramer's C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet. The slim HDMI connector and narrower cable diameter fits more easily into tight spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz (4:4:4)

### FEATURES

**Max Resolution** - 4K@60Hz (4:4:4)

**Quality Performance** - Kramer's new HDMI cables provide an uncompressed digital link between consumer electronics equipment such as DVD players, set-top boxes and audio/video monitors such as plasma display screens for high-definition TVs

**High-Quality Connectors** - Slim HDMI connector heads 16.0 mm wide and 8.0mm thick (5/8" wide and 5/16" thick)

**Space Saving** - A tighter bend radius combined with the low-profile connector can save up to 1" of depth behind the equipment

**HDMI Support** - Signals up to ultra-HD 4K, HDMI Ethernet Channel, 3D, x.v.Color™, Deep Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC

**Available Colors** - Black, blue, green, yellow, orange, red, pink and white

**Varied Selection of Lengths** - Available in versions of 0.9 to 3.0m (3, 6 and 10ft)



# kramer

## TECHNICAL SPECIFICATIONS

---

|            |   |
|------------|---|
| Video      | Max Resolution for 3-6ft (0.9-1.8m) lengths: 4K60Hz (4:4:4)<br>Max Resolution for 10ft (3m) length: 4K60Hz (4:2:0)<br>Max Data Rate for 3-6ft (0.9-1.8m) lengths: 18Gbps (6 Gbps per channel)<br>Max Data Rate for 10ft (3m) length: 10.2Gbps (3.4 Gbps per channel)<br>HDMI Support HDCP 2.2, EDID, CEC, HDR-10, HLG, Dolby Vision |
| Audio      | Supported Audio Formats: Dolby Digital Plus, Dolby TrueHD, DTS-HD Master Audio™, DVD Audio, SA-CD   |
| PHYSICAL   | Connectors: 2 Male HDMI Type A, 24K gold-plated connector<br>Bending radius: 36mm   |
| CONDUCTORS | Diameter: 34AWG(7/0.06)<br>Material: Tinned Copper  |
| SCREENING  | Type: Triple shielding  |
| JACKET     | Material: PVC<br>Available Colors: Black, blue, green, yellow, orange, red, pink and white<br>Diameter: 3.6± 0.15mm   |
| ELECTRICAL | Temperature Rating: 80°C<br>Voltage Rating: 30V<br>Conductor Resistance: 34AWG-1.08KΩ/KM MAX. at 20°C   |
| REGULATORY | Rating (NEC/UL/CSA): VW-1   |





# kramer

## CONFIGURATIONS

---

|                    |  |
|--------------------|--|
| C-HM/HM/PICO/BK-1  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/BK-2  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/BK-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/BK-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/BK-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/BL-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue             |
| C-HM/HM/PICO/BL-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue             |
| C-HM/HM/PICO/BL-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Blue             |
| C-HM/HM/PICO/GR-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green            |
| C-HM/HM/PICO/BK-5  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet — Black 1.5m (5ft) |
| C-HM/HM/PICO/GR-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green            |
| C-HM/HM/PICO/BK-5  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Black            |
| C-HM/HM/PICO/GR-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Green            |
| C-HM/HM/PICO/YL-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow           |
| C-HM/HM/PICO/YL-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow           |
| C-HM/HM/PICO/YL-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Yellow           |
| C-HM/HM/PICO/OR-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange           |
| C-HM/HM/PICO/OR-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange           |
| C-HM/HM/PICO/OR-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Orange           |
| C-HM/HM/PICO/RD-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red              |
| C-HM/HM/PICO/RD-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red              |
| C-HM/HM/PICO/RD-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Red              |
| C-HM/HM/PICO/PK-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink             |
| C-HM/HM/PICO/PK-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink             |
| C-HM/HM/PICO/PK-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - Pink             |
| C-HM/HM/PICO/WH-3  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White            |
| C-HM/HM/PICO/WH-6  | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White            |
| C-HM/HM/PICO/WH-10 | Ultra Slim Flexible High-Speed HDMI Cable with Ethernet - White            |